


SIM693WLDR

Hob, Aesthetics: Dolce Stil Novo, Induction, 90 cm, Black, Built-in type: Traditional



TYPE

Product Family: Hob • Dimensions: 90 cm • Type: Induction • Built-in type: Traditional • Power supply: Electric • EAN code: 8017709221959

AESTHETICS

Colour: Black • Finishing: Copper • Aesthetics: Dolce Stil Novo • Components finishing: Copper • Material: Glass • Glass type: ceramic Eclipse • Type of control setting: Multi Slider • Control knob position: Front • Slider: Yes • LED colours: White • Glass edge: Straight edge • Serigraphy colour: Grey

PROGRAMS / FUNCTIONS

Total no. of cook zones: 6 • No. of induction cook zones: 6 • No. of cooking zones with booster: 6 • No. of Flexible zones: 3 • Main on/off switch: Yes • Power levels: 9

OPTIONS

Worktop Cut-Out: 490x880 mm • Multizone Option: Yes • Flexible Zone Type: MultiZone • End cooking timer: 6 • Pause option: Yes • Minute minder: 1 • End of cooking alarm: Yes • Residual time indicator: Yes • Showroom Demo Option: Yes • Control Lock / Child Safety: Yes • Keep warm automatic function: Yes • Simmering Function: Yes • Melting/Low temperature cooking function: Yes • Rapid level selection: Yes

COOKING ZONES

1st zone position: Front-left • 2nd zone position: Rear-left • 3rd zone position: Front-centre • 4th zone position: Rear-centre • 5th zone position: Front-right • 6th zone position: Rear-right • 1st zone type: Induction - Multizone • 2nd zone type: Induction - Multizone • 3rd zone type: Induction - Multizone • 4th zone type: Induction - Multizone • 5th zone type: Induction - Multizone • 6th zone type: Induction - Multizone • 1st zone dimensions: 18.0x23.0 cm • 2nd zone dimensions: 18.0x23.0 cm • 3rd zone dimensions: 18.0x23.0 cm • 4th zone dimensions: 18.0x23.0 cm • 5th zone dimensions: 18.0x23.0 cm • 6th zone dimensions: 18.0x23.0 cm • Left Multizone dimension: 38.5x23.0 cm • Central Multizone dimension: 38.5x23.0 cm • Right Multizone dimension: 38.5x23.0 cm • 1st zone power: 2.10 kW • 2nd zone power: 2.10 kW • 3rd zone power: 2.10 kW • 4th zone power: 2.10 kW • 5th zone power: 2.10 kW • 5th zone power: 2.10 kW • 1st zone booster power: 3.60 kW • 2nd zone booster power: 3.60 kW • 3rd zone booster power: 3.60 kW • 4th zone booster power: 3.60 kW • 5th zone booster power: 3.60 kW • 6th zone booster power: 3.60 kW • Booster power left Multizone: 3.60 kW • Booster power central Multizone: 3.60 kW • Booster power right Multizone: 3.60 kW

TECHNICAL FEATURES

Automatic setting according to pan dimension: Yes • Permanent Automatic Pot Detection with indication of the relative control: Yes • pan detection: Yes, min 9 cm • Automatic switch off when overheat: Yes • Automatic switch off when overflow: Yes • Residual heat indicator: Yes • Protection against accidental start up: Yes

PERFORMANCE / ENERGY LABEL

2nd zone energy consumption: 195 Wh/Kg • Energy consumption zone 3: 195 Wh/Kg • Energy consumption zone 4: 195 Wh/Kg • Energy consumption zone 5: 195 Wh/Kg • Energy consumption zone 6: 195 Wh/Kg

ELECTRICAL CONNECTION

Electrical connection rating (W): 10800 W • Voltage (V): 220-240 V • Voltage 2 (V): 380-415 V • Frequency (Hz): 50/60 Hz • Type of electric cable: Universal • Power supply cable length: 150 cm

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions of the product (mm): 53x900x510 • Depth: 510 mm • Width: 900 mm • Product Height: 53 mm • Net weight (kg): 16.500 kg • Gross weight (kg): 18.000 kg

